

HHXX.EX15379 - Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze

Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze

See General Information for Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze

ELECTROSTEEL CASTINGS LTD

NO 19 CAMAC ST

KOLKATA, WB 700017 INDIA

Ductile Iron Fittings, ANSI/AWWA/C153/A21.53-06

EX15379

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
90° Elbow	MJ / MJ	3, 4, 6, 8, 10, 12, 14	350
45° Bend	MJ / MJ	3, 4, 6, 8, 10, 12, 14	350
22.5° Bend	MJ / MJ	3, 4, 6, 8, 10, 12, 14	350
11.25° Elbow	MJ / MJ	3, 4, 6, 8, 10, 12, 14	350
90° Elbow	MJ / PE	3, 4, 6, 8, 10, 12, 14	350
45° Bend	MJ / PE	3, 4, 6, 8, 10, 12, 14	350
22.5° Bend	MJ / PE	3, 4, 6, 8, 10, 12, 14	350
11.25° Elbow	MJ / PE	3, 4, 6, 8, 10, 12, 14	350
Tees	MJ	3x3, 4x3, 4x4, 6x3, 6x4, 6x6, 8x4, 8x6, 8x8, 10x4, 10x6, 10x8, 10x10, 12x4, 12x6, 12x8, 12x10, 12x12, 14x4, 14x6, 14x8, 14x10, 14x12, 14x14	350
Crosses	MJ	3, 4, 6, 8, 10, 12, 14	350
Reducers	MJ x MJ	4x3, 6x3, 6x4, 8x4, 8x6, 10x4, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10, 14x6, 14x8, 14x10, 14x12	350
Caps	MJ	3, 4, 6, 8, 10, 12, 14	350
Plugs	MJ	3, 4, 6, 8, 10, 12, 14	350
Sleeves Short	MJ	3, 4, 6, 8, 10, 12, 14	350
Sleeves Long	MJ	3, 4, 6, 8, 10, 12, 14	350
Reducers LEB	MJ	4x3, 6x3, 6x4, 8x4, 8x6, 10x4, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10, 14 x 6, 14 x 8, 14 x 10, 14 x 12,	350

Reducers SEB	MJ	4x3, 6x3, 6x4, 8x4, 8x6, 10x4, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10, 14 x 6, 14 x 8, 14 x 10, 14 x 12	350
Reducers	PE X PE	4x3, 6x3, 6x4, 8x4, 8x6, 10x4, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10, 14 x 6, 14 x 8, 14 x 10, 14 x 12	350

Ductile Iron Fittings, ANSI/AWWA/C110/A21.10-03

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
Bends 90°	FL	3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 24	250
Bends 45°	FL	3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 24	250
Bends 22.5°	FL	3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 24	250
Bends 11.25°	FL	3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 24	250
Tees	FL	3x3, 4x3, 4x4, 6x3, 6x4, 6x6, 8x4, 8x6, 8x8, 10x4, 10x6, 10x8, 10x10, 12x4, 12x6, 12x8, 12x10, 12x12, 14x6, 14x8, 14x10, 14x12, 16x6, 16x8, 16x10, 16x12, 16x14, 16x16, 18x6, 18x8, 18x10, 18x12, 18x14, 18x16, 18x18, 20x6, 20x8, 20x10, 20x12, 20x14, 20x16, 20x18, 20x20, 24x6, 24x8, 24x10, 24x12, 24x14, 24x16, 24x18, 24x20, 24x24	250
Crosses	FL	3x3, 4x3, 4x4, 6x3, 6x4, 6x6, 8x4, 8x6, 8x8, 10x4, 10x6, 10x8, 10x10, 12x4, 12x6, 12x8, 12x10, 12x12, 14x6, 14x8, 14x10, 14x12, 16x6, 16x8, 16x10, 16x12, 16x14, 16x16, 18x6, 18x8, 18x10, 18x12, 18x14, 18x16, 18x18, 20x6, 20x8, 20x10, 20x12, 20x14, 20x16, 20x18, 20x20, 24x6, 24x8, 24x10, 24x12, 24x14, 24x16, 24x18, 24x20, 24x24	250
Base bends	FL	3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 24	250
Base tees	FL	3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 24	250
Base tees	FL	24	150
Reducers	FL	4x3, 6x3, 6x4, 8x4, 8x6, 10x4, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10, 14x6, 14x8, 14x10, 14x12, 16x6, 16x8, 16x10, 16x12, 16x14, 18x8, 18x10, 18x12, 18x14, 18x16, 20x10, 20x12, 20x14, 20x16, 20x18, 24x12, 24x14, 24x16, 24x18, 24x20	250
Straight Flares	FL	3, 4, 6, 8, 10, 12, 14	250
Bends 90°-Flares	FL	3, 4, 6, 8, 10, 12, 14	250
Blind Flanges Flat	FL	3, 4, 6, 8, 10, 12, 14	250
Connecting peices	FL x PE	3, 4, 6, 8, 10, 12, 14, 16, 18, 20, 24	250
Lateral Wyes 45°	FL	3, 4, 6, 8, 10, 12,14	250

Flanged (FL), Mechanical Joint (MJ) and Plain End (PE)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"